

<i>Job Name</i>	CG 220	<i>Kunde</i>	EBV
<i>Messdatei</i>	Monitor CMYK Test-013	<i>Drucker</i>	CG220
<i>Referenzdatei</i>	ISOcoated.icc	<i>Auflösung</i>	106 ppi
<i>Datum u. Zeit</i>	2005-04-14 12:34:08	<i>Bearbeiter</i>	Thomas Richard
<i>Messgerät</i>	GretagMacbeth EyeOne	<i>Unterschrift</i>	_____
<i>Messhintergrund</i>	Substrat		
<i>Lichtart/Betrachter</i>	E / 2		

ID	Target				Referenz			Messwerte			Farbdifferenz						
	Name	C	M	Y	K	L*	a*	b*	L*	a*	b*	ΔE^*_{ab}	ΔL^*	Δa^*	Δb^*	ΔC^*	Δh^*
1	A1	100	0	0	0	55.2	-40.0	-50.7	56.5	-30.5	-48.2	9.8 ●	1.3	9.4	2.5	-7.5	6.3
2	A2	70	0	0	0	67.7	-27.0	-36.3	68.1	-23.6	-35.7	3.5	0.4	3.4	0.6	-2.4	2.4
3	A3	40	0	0	0	80.8	-13.8	-21.0	80.7	-12.0	-21.3	1.8	-0.1	1.8	-0.2	-0.8	1.7
4	A4	0	100	0	0	47.2	75.9	-3.8	47.7	72.0	-3.5	4.0 ●	0.5	-3.9	0.3	-3.9	0.1
5	A5	0	70	0	0	60.8	52.0	-7.0	61.3	50.3	-6.8	1.7	0.5	-1.6	0.3	-1.6	0.1
6	A6	0	40	0	0	77.0	26.2	-7.7	76.9	26.5	-8.2	0.6	-0.0	0.3	-0.6	0.4	0.5
7	A7	0	0	100	0	89.7	-4.4	94.7	89.5	-4.6	95.2	0.6	-0.2	-0.2	0.5	0.5	0.2
8	A8	0	0	70	0	91.3	-4.6	62.7	91.3	-5.9	61.1	2.1	0.0	-1.3	-1.6	-1.5	1.4
9	A9	0	0	40	0	93.3	-3.2	30.6	93.3	-3.4	30.1	0.6	0.0	-0.3	-0.5	-0.5	0.3
10	A10	20	70	70	0	53.7	38.1	28.6	54.1	36.2	27.7	2.1	0.4	-1.9	-0.9	-2.1	0.4
11	A11	40	70	70	20	41.5	22.8	16.4	42.3	21.2	16.2	1.8	0.8	-1.6	-0.2	-1.4	0.8
12	A12	40	100	100	20	32.3	40.2	21.9	33.2	36.8	20.6	3.8	0.9	-3.5	-1.3	-3.7	0.5
13	A13	40	100	40	20	32.5	44.5	-1.7	33.7	41.9	-1.3	2.9	1.1	-2.7	0.4	-2.7	0.3
14	A14	40	40	100	20	51.3	1.8	44.2	51.8	-0.2	42.2	2.9	0.5	-2.1	-2.0	-2.0	2.0
15	A15	100	40	100	20	34.0	-40.8	14.5	35.0	-38.6	14.4	2.4	1.0	2.2	-0.1	-2.1	0.7
16	A16	100	40	40	20	36.2	-30.5	-20.6	37.0	-27.8	-18.9	3.3	0.9	2.7	1.6	-3.2	0.1
17	A17	100	100	40	20	21.1	3.3	-23.0	23.5	3.4	-19.8	3.9	2.3	0.1	3.2	-3.1	0.6
18	B1	100	100	0	0	24.3	16.4	-47.1	26.5	16.1	-42.9	4.7	2.1	-0.3	4.2	-4.1	1.1
19	B2	70	70	0	0	41.5	15.8	-36.3	43.0	15.8	-34.4	2.4	1.5	-0.0	1.9	-1.8	0.8
20	B3	40	40	0	0	64.6	9.3	-23.5	65.3	9.4	-23.2	0.7	0.6	0.0	0.3	-0.3	0.2
21	B4	0	100	100	0	47.3	69.1	45.2	47.7	66.5	42.5	3.7	0.4	-2.6	-2.7	-3.6	0.8
22	B5	0	70	70	0	59.1	47.5	36.8	59.6	45.9	35.9	1.9	0.5	-1.5	-0.9	-1.8	0.2
23	B6	0	40	40	0	75.0	23.2	20.4	74.9	22.6	20.3	0.6	-0.1	-0.6	-0.2	-0.5	0.3
24	B7	100	0	100	0	48.5	-67.6	28.0	49.0	-65.9	27.7	1.8	0.5	1.7	-0.2	-1.6	0.4
25	B8	70	0	70	0	62.6	-41.5	22.3	62.8	-41.2	21.2	1.1	0.2	0.3	-1.0	-0.7	0.8
26	B9	40	0	40	0	77.9	-19.6	11.4	78.0	-19.5	10.7	0.7	0.1	0.0	-0.7	-0.4	0.6
27	B10	10	40	40	0	72.1	19.1	16.6	72.1	18.6	15.4	1.4	-0.0	-0.5	-1.2	-1.2	0.6
28	B11	0	40	100	0	72.2	22.1	73.3	72.0	20.9	71.2	2.4	-0.3	-1.1	-2.0	-2.3	0.5
29	B12	0	100	40	0	47.5	72.4	15.4	47.3	70.2	13.6	2.8	-0.2	-2.2	-1.8	-2.5	1.3
30	B13	40	100	0	0	37.5	56.4	-21.1	38.1	53.9	-20.1	2.8	0.6	-2.5	1.0	-2.7	0.1
31	B14	40	0	100	0	74.1	-22.1	69.4	74.0	-23.6	67.4	2.5	-0.1	-1.5	-2.0	-1.5	2.1
32	B15	100	0	40	0	52.3	-55.1	-20.1	52.8	-51.9	-18.0	3.9	0.5	3.2	2.1	-3.8	0.9
33	B16	100	40	0	0	43.8	-20.9	-49.7	44.8	-18.0	-47.2	3.9	1.0	2.9	2.5	-3.4	1.8
34	B17	0	0	0	0	95.9	0.5	-3.4	100.0	0.0	0.0	5.4 ●	4.1	-0.5	3.4	-3.5	0.0
35	K10	0	0	0	10	89.8	0.3	-3.6	89.1	1.4	-4.9	1.8	-0.7	1.0	-1.3	1.5	0.8
36	K20	0	0	0	20	83.6	0.2	-3.7	83.4	0.7	-4.2	0.7	-0.2	0.5	-0.5	0.5	0.5
37	K40	0	0	0	40	70.1	-0.0	-3.7	70.0	0.4	-3.9	0.5	-0.1	0.4	-0.2	0.2	0.4
38	K60	0	0	0	60	55.0	-0.0	-3.1	55.4	-0.1	-2.6	0.6	0.4	-0.1	0.5	-0.5	0.1
39	K80	0	0	0	80	37.4	0.0	-2.1	38.8	-0.2	-1.1	1.7	1.4	-0.2	1.0	-0.9	0.3
40	K100	0	0	0	100	16.9	0.4	-0.4	19.8	0.0	1.6	3.6 ●	3.0	-0.3	1.9	1.0	1.7
41	G10	10	6	6	0	89.6	-0.1	-3.7	89.0	1.6	-5.1	2.3	-0.6	1.7	-1.3	1.6	1.5
42	G20	20	12	12	0	83.1	-1.1	-4.4	82.5	0.1	-4.2	1.3	-0.6	1.2	0.2	-0.3	1.1
43	G40	40	27	27	0	68.7	-2.7	-4.0	68.7	-1.8	-4.0	1.0	0.0	1.0	-0.0	-0.4	0.8
44	G60	60	45	45	0	53.0	-5.1	-2.3	53.3	-4.5	-1.9	0.8	0.4	0.6	0.4	-0.7	0.1
45	G80	80	65	65	0	38.0	-8.1	-1.0	39.0	-7.4	0.1	1.6	1.0	0.6	1.1	-0.7	1.1
46	G100	100	85	85	0	26.0	-13.6	-2.3	27.4	-13.1	-1.3	1.8	1.5	0.4	1.0	-0.6	0.9

	Kriterium	Standard Toleranz	Empfohlen Toleranz	Ergebnis
	Mittelwert ΔE =	2.36	2.5	---
	Maximalwert ΔE =	9.84 (A1)	5.0	---
	Bedruckstoff ΔE =	5.37 (B17)	3.0	---
	Maximalwert Primärfarben ΔE =	9.84 (A1)	3.0	---